

PRE-OP INSTRUCTIONS - General

IF YOU NEED TO CONTACT THE OFFICE FOR ANY REASON PRIOR TO YOUR SURGERY, YOU MAY REACH US AT (248) 322-3362. PLEASE DO NOT HESITATE TO CALL.

2 WEEKS PRIOR TO SURGERY:

• STOP TAKING Wegovy or Ozempic (Semaglutide)/Mounjaro (Tirzepatide) at least 2 weeks prior to surgery as it slows down the digestive process.

10 DAYS PRIOR TO SURGERY:

- STOP SMOKING: Smoking reduces circulation to the skin and impedes healing (this is especially important if having a facelift).
- DO NOT TAKE ANY ASPIRIN OR ASPIRIN CONTAINING MEDICATIONS for at least ten days before and ten days after surgery: Carefully review the list of drugs to avoid provided for you. Such medications may cause bleeding during and after surgery. Instead, use medications containing acetaminophen (such as Tylenol). Check with your physician regarding administration of antidepressants, diuretics, other routine medications, or any herbal or homeopathic medications you may be taking.

DAY BEFORE SURGERY:

- PRESCRIPTIONS: Ensure that all of your prescriptions have been filled before the day of surgery.
- DO NOT EAT OR DRINK ANYTHING AFTER MIDNIGHT THE DAY BEFORE YOUR SURGERY. EATING OR DRINKING ANYTHING AFTER THE SPECIFIED TIME MAY RESULT IN CANCELLATION OF YOUR SURGERY. This includes water, coffee, tea, juice, etc.

DAY OF SURGERY:

- MEDICATIONS: If instructed to continue your daily medication regime, take your medication with only a sip of water. THE MINIMUM AMOUNT OF WATER NECESSARY IS ALL YOU SHOULD DRINK, It is not necessary to take your antibiotic or multivitamin the morning of surgery.
- MAKE-UP: Please do not wear moisturizers, creams, lotions, eye make-up or other type of make-up.
- CLOTHING: Wear only comfortable, loose-fitting clothing that either buttons or zips in the front. Remove hairpins, wigs, contacts and jewelry. Please do not bring any valuables with you.
- CONTACTS: Please do not wear your contacts the day of surgery, wear your glasses to the Center. If you wear your contacts in please bring a container and the necessary solution for them.



YOUR RIGHTS AND RESPONISBILITIES AS A PATIENT

YOUR WELL BEING AND HEALING ARE OUR PRIMARY CONCERN AND WE BELIEVE THAT A POSITIVE SURGICAL EXPERIENCE IS A RESPONSIBILITY THAT IS SHARED BY YOU AND OUR STAFF.

YOUR RIGHTS:

- You have the right to request and receive information on patient rights, responsibilities and ethics
- You have the right to request and receive considerate and respectful care that recognizes your cultural, psychosocial, spiritual and personal values, beliefs and preferences.
- You have the right to request an identified surrogate decision-maker, as allowed by law when you cannot make decisions about your own care, treatment and service.
- You, your family and/or surrogate decision maker have the right to request, and as appropriate and allowed by law, to be involved in care, treatment, and service decisions, including the assessment and treatment of your pain.
- You have the right to request an environment that preserves dignity and contributes to a positive self-image, including room accommodations as medically appropriate and available.
- You have the right to request and receive privacy and confidentiality.
- You have the right to request visitor services as appropriate within the surgical center setting.
- You have the right to request qualified medical interpretation services, free of charge, if you have special communication needs due to vision, speech, hearing, language or cognitive barriers or impairments.
- You have the right to request, in a timely manner, the name of the physician primarily responsible for your care, treatment and services and the physician performing your care, treatment and services.
- You have the right to consult with another physician or specialist, including a pain specialist.
- You have the right to request informed consent for care, treatment and services provided to you, including the right to refuse to participate in research programs and the recording or filming of your procedure for internal/external purposes.
- You have the right to withdraw consent for care, treatment and services provided including the consent to participate in a research project or filming or recording of your procedure.
- You and when appropriate your family have the right to request to be informed about the outcomes of care, treatment and services including unanticipated outcomes.
- You have the right to freely voice complaints and recommend changes without being subject to coercion, discrimination, reprisal or unreasonable interruption of care, treatment or services.
- You have the right to request an itemized and detailed explanation of Hospital/Surgery Center Charges for services rendered and to be provided with financial counseling free of charge, as appropriate.

IMPORTANT PHONE NUMBERS

Zuliani Facial Aesthetics 248-322-3362



YOUR RESPONSIBILITIES AS A PATIENT

- Provide to the best of your knowledge, accurate and complete information about your health history, current condition and current medication.
- Ask questions if you do not understand any aspect of your care, treatment or services provided for you.
- Cooperate with your doctor, nurse or other caregivers.
- Follow the written and verbal instructions given to you by your doctor and the nurses.
- Report changes in your condition or anything you think might be a risk to you
- Ask the doctor or nurse what to expect regarding the pain you might experience post operatively.
- Take responsibility for the outcome if you decline or refuse to follow the recommended guidelines and instructions you are given.
- Show respect and consideration for others.
- Fulfill the financial obligations of receiving care, including accepting financial responsibility for any consultations with other specialists.
- Request interpretation services when necessary.
- Accurately report any allergies to your physician and his staff
- Be sure you understand any prescriptions given to you-what the medication if for and how you should take it
- Ask questions about any new medications prescribed for you.
- Clarify and verify with your surgeon what surgery is to be done and what the expected outcomes will be.
- Research the surgery you are scheduling and ask questions to clarify any questions you may have
- Speak up if you have any questions or concerns-all your questions should be answered prior to your surgery

By signing below, I acknowledge that the above has been explained to me and I understand the contents of the aforementioned instruction pages.

Patient Signature	Date
Witness Signature	Date



INFORMED CONSENT FOR TRANSPORTATION AND POST OP CARE

I understand that I will need someone to drive me home the day of surgery if oral or IV anesthesia is administered. I also understand that if I arrive without a form of reliable transportation, my surgery will be rescheduled. In the event that my surgery is rescheduled, I will be responsible for a \$500 administrative rescheduling fee.

Reliable forms of transportation are as follows:

- Adult family member or friend
- Reputable medical car services

Please note Uber, Lyft and taxi services are **NOT** acceptable forms of transportation within 24 hours of oral or IV anesthesia. I understand that a responsible adult will need to stay with me for 24 hours following my surgery. I also understand that if a condition arises during my surgery and the operating surgeon feels that admission to the hospital is best for my recovery, I will be admitted as an inpatient following my surgery.

Patient Signature	Date
Witness Signature	Date



MEDICATION AVOIDANCE LIST

HERBAL SUPPLEMENTS AND ALL ASPIRIN AND IBUPROFEN MEDICATIONS ARE TO BE DISCONTINUED 10-14 DAYS PRIOR TO SURGERY

SUPPLEMENTS THAT MUST BE DISCONTINUED

VITAMIN E GINKGO MA HUANG(EPHEDRA)

BILBERRYDONG BILOBA MELATONIN
QUAI GINSENG RED CLOVER
ECHINACEA HAWTHORNE ST. JOHN'S WORT

FISH OIL CAPS KAVA KAVA VALERIAN FEVERFEW LICORICE ROOT CAYENNE GARLIC YOHIMBE

GINGER

ASPIRIN AND IBUPROFEN PRODUCTS TO BE DISCONTINUED 10-14 DAYS PRIOR TO SURGERY

4-Way Cold Tablets Aspirtab As Tablets Axotal

ASA Enseals

Adult Analgesic Pain Reliever

Azdone Tablets

Alka-Seltzer Plus Cold Medicine Tablets B-A-C Tablets

Alka-Seltzer Effervesent Tablets

B-A-C Tablets

Bayer Timed-Release Aspirin Tablets

Alka-Seltzer Anacin Tablets and Capsules, Max. Strength

Anacin with ASA

Bayer's Children's Cold Tablets

Bayer Children's Aspirin Tablets

Analval Bayer Aspirin Tablets

Anodynos Bayer Aspirin
Anodynos Tablets BC Tablet and Powder

Anodynos Tablets

Apac Improved

BC Tablet and Powde

APC BC Powder Argesic Tablets Buf-tabs

Arthritis Pain Formula Buff-A Comp Tablets and Capsules

Arthralgen Tablets

Buffaprin Tablets

Authoritie Pain Famoulae Tablete

Arthritis Pain Formulas Tablets

Arthritis Strength Bufferin Tablets

Buffaprin
Buffasal

Arthropan Liquid

Bufferin, Arthritis Strength Tablets

Pufferin, Extra Strength Tablets

ASA Bufferin, Extra Strength Tablets
Ascripton A/D Tablets Bufferin

Ascripton Bufferin with Codeine no. 3 Tablets

Ascripton with Codeine Tablets

Asperbuf Tablets

Bufferin Tablets

Buffets II

Aspercin Buffets II Tablets

Aspergum Buffex
Aspermin Buffinol Tablets

Aspirin with Codeine Buffinol
Aspirin Suppositories Butalbital



Cama Arthritis Pain reliever

Carisoprodal Compound Tablets

Children's Aspirin

Congesprin Chewable Tablets

Cope Tablets

Cope

Coricidin Tablets

Coricidin Demilets Tablets for Children

Coricidin Medilets Tablets for Children

Coricidin 'D' Decongestant Tablets

Cosprin 650 Tablets

Cosprin 325 Tablets

CP-2 Tablets

Damason-P

Darvol with ASA Polvules

Darvon Compound

Darvon Compound-65

Darvon with ASA

Darvon Compound Pulvules

Darvon Compound-65

Darvon N with ASA

Dasin Capsules

Dasin

Dinol Tablets

Disalcid Capsules

Doan's Pills

Dolcin

Dolprn#3 Tablets

Double A Tablets

Drinophen

Dristan

Duoprin Capsules

Duoprin S-Syrup

Duradyne

Durasal Tablets

Dynosal Tablets

Easprin

Ecotrin

Ecotrin Tablets

Efficin Tablets

Emagrin

Emagrin Tablets

Empirin

Empirin with Codeine Tablets

Empirin with codeine

Empirin Tablets

Emprazil

Equagesic

Equagesic Tablets

Equazine-M

Excedrin

Excedrin Tablets & capsules

Fedrazil

Fiogesic Tablets

Fiogesic

Fiorgen PF

Fiorinal tablets

Fiorinal with Codeine

Gaysal-S Tablets

Gelpirin Tablets

Gemnisin Tablets

Gemnisyn

Genprin

Gensan

Goody's Headache Powder

Goody's Extra Strength

Isollyl

Isollyl Improved

Lanorinal Tablets

Lanorinal

Lorotab ASA

Lortab ASA

Magan Tablets

Magnaprin

Magsal Tablets

Marnal

Marnal Capsules

Maximum Bayer Aspirin

Measurin

Measurin tablets

Meprobamate and Aspirin

Micrainin

Micranin Tablets

Midol Original

Midol for Cramps Extra Strength

Midol Caplets

Mobidin Tablets

Mobigesic Tablets

Momentum Muscular Backache Formula

Neocylate Tablets

Neogesic

Norgesic Tablets

Norgesic Forte Tablets

Norgesic Forte

Norgesic

Norwich ES ASP



Orhenagesic Forte

Orphenagesic

OS-CAL-GESIC Tablets

Oxycodone and Aspirin

P-A-C

Pabalate

Pabalate-SF Tablets

Pabirin Buffered Tablets

Pacaps

Pain Reliever Tablets

Panalgesic

Panodynes

Pepto-Bismol

Percodan

Percodan-Demi Tablets

Percodan Demi

Persistin

Phenetron Compound

Presalin

Propoxyphene Compound 65

Propoxyphene Napsylate

Propoxyphene Compound

Quiet World Analgesic/Sleeping Aid

Quiet World Tablets

Robaxisal Tablets

Roxiprin Tablets

S-A-C Tablets

Salabuff

Salatin

Saleto Tablets

Saleto

Salocol Tablets

Salocol

Sine-Off Sinus Medicine Tablets

Sine-Off Sinus Medicine Tablets-Aspirin Formula

SK-65 Compound Capsules

Soma Compound Tablets

Soma Compound Tablets with Codeine

St. Joseph

St. Joseph Cold tablets for Children

Stanback Tablets and Powder

Supac tablets

Supac

Synalgos Capsules

Synalgos-DC Capsules

Talwin Compound Tablets

Talwin Compound

Tenol-Plus

Tenstan Tablets

Tri-Pain

Triaminicin Tablets

Trigesic

Trilisate Tablets and Liquid

Uracel 5

Ursinus Inlay Tabs

Valesin

Vanquish Caplets

Vanquish

Verin

Viro-Med Tablets

Wesprin Buffered

Zorprin

Zorprin Tablets

NON-STEROIDAL ANTIFLAMMATORY MEDICATIONS TO BE STOPPED PRIOR TO SURGERY

Aches-N-Pain (Ibuprofen)

Addaprin (Ibuprofen)

Advil (Ibuprofen)

Aleve (Naproxen Sodium)

Anaprox DS (Naproxen Sodium)

Anaprox (Naproxen Sodium)

Ansaid (Flurbiprofen)

Betazolidan (Phenylbutazone)

Cataflam (Diclofenac Potassium)

Clinoril (Sulindac)

Coadvil (Ibuprofen)

Daypro (Oxaprozin)

Dolobid (Diflunisal)

Dristan Sinus (Ibuprofen)

Feldene (Piroxicam)

Genpril (Ibuprofen)

Haltran (Ibuprofen)

IBU (Ibuprofen)

IBU-Tab (Ibuprofen)

Ibuprin (ibuprofen)

Ibuprohm (Ibuprofen)

Indocin (Indomethacin)

Lodine (Etodolac)

Medipren (Ibuprofen)

Menadol (Ibuprofen)

Midol 200 (Ibuprofen)

Motrin IB (Ibuprofen)

Motrin (Ibuprofen)

Nalfon (Fenoprofen Calcium)



Naprosyn (Naproxen)

Nuprin (Ibuprofen)

Orudis (Ketoprofen)

Pamprin-IB (Ibuprofen)

Pediaprofen (Ibuprofen)

Relafen (Nabumetone)

Rufen (Ibuprofen)

Saleto-200 (Ibuprofen)

Tolectin

Tolmetin Sodium

Toradol (Ketorolactormethamine)

Trendar (Ibuprofen)

Trilisate (Choline Magnesium Trisalicylate)

Ultraprin (Ibuprofen)

Valprin (Ibuprofen)

Voltaren (Diclofenac Sodium

